

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-187151

(43)Date of publication of application : 10.07.2001

(51)Int.Cl.

A61M 31/00

A61M 3/00

(21)Application number : 11-377370

(71)Applicant : UEHARA SACHIO

(22)Date of filing : 28.12.1999


(72)Inventor : UEHARA SACHIO

(54) DISPOSABLE INJECTOR FOR LUBRICATING LIQUID

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a disposable injector to hygienically apply lubricating liquid to a female generative organ in a short time.

SOLUTION: This injector is for hygienically applying lubricating liquid to a female generative organ in a short time and eliminates obstacles caused by all kinds of mechanical irritation to reduce mental stress.



LEGAL STATUS

[Date of request for examination]

06.02.2003

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's
decision of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号
特開2001-187151
(P2001-187151A)

(43) 公開日 平成13年7月10日 (2001.7.10)

(51) Int.Cl.⁷

A 6 1 M 31/00
3/00

識別記号

F I

A 6 1 M 31/00
3/00

テーマコード(参考)

4 C 0 6 6

Z

審査請求 未請求 請求項の数 1 書面 (全 2 頁)

(21) 出願番号 特願平11-377370

(22) 出願日 平成11年12月28日 (1999. 12. 28)

(71) 出願人 500067558

上原 佐知夫

神奈川県相模原市鶴野森3丁目37番1号

スペースカシマモリ E-2号

(72) 発明者 上原 佐知夫

神奈川県相模原市鶴野森3丁目37番1号

スペースカシマモリ E-2号


Fターム(参考) 4C066 AA04 BB03 CC04 DD07 EE02
FF02

(54) 【発明の名称】 使い捨て潤滑液注入器具

(57) 【要約】

【課題】 女性性器に対し短時間に、しかも衛生的に潤滑液を塗布するための注入器具

【解決手段】 短時間に、かつ衛生的に潤滑液を女性性器に塗布するための注入器具で、あらゆる機械的刺激から起こる障害を除去し精神的負担を軽減させる。



【特許請求の範囲】

【請求項1】 女性性器塗布用を特徴とする外用塗布潤滑液注入器具

【発明の詳細な説明】

本発明は、女性性器に対し外用塗布潤滑液注入に関するもので、この器具を使用することできわめて短時間にしかも衛生的に潤滑液を女性性器に塗布するための注入器具で、すべての機械的接触による障害をなくし、精神的負担を軽減することを目的とする。図面について説明すれば潤滑剤が充填されて押し込み棒が備わっている状態（図1）で女性性器に挿入し、押し込み棒（4）を矢印

方向に押し込むことによって潤滑液流出口（1）から流出し女性性器に塗布される。

【図面の簡単な説明】

【図1】 本発明の使用直前の断面図

【図2】 プラスチックシリンダー断面図

【図3】 押し込み棒断面図

【符号の説明】


（1） 潤滑液流出口

（2） 潤滑液


（3） プラスチックシリンダー

（4） 押し込み棒

【図1】



【図2】



【図3】

